



DATE :

OUR ITEM NO.:

CUSTOMER :

CUSTOMER ITEM NO.:

FACTORY ITEM NO.:

TEST STANDARD :

- | | |
|--|--|
| | 1. PRODUCT PHOTO. |
| | 2. PRODUCT SPECIFICATION THAT WAS GIVEN TO FACTORY. |
| | 3. PACKING PHOTO LAYER BY LAYER. |
| | 4. ASSEMBLY INSTRUCTIONS. |
| | 5. COLOR LABEL,STICKERS, NOTICE,...ETC. |
| | 6. (IF WOOD) 6”X 6” COLOR BOARD.
(IF UPHOLSTERY) 6”X6” PIECE OF FABRIC OR LEATHER. |
| | 7. SPECIAL REQUEST FROM CUSTOMER.
(OR COPY OF FAX FROM CUSTOMER REGARDING PRODUCT QUALITY.) |
| | 8. “CETRA DROP” OR “BIFMA” TEST REPORT. |
| | 9. COPIES OF ALL PAST INSPECTION REPORTS. |

SPEC. SHEET

Photo
Here

ITEM NO.(产品型号) _____

FACTORY(生产工厂) _____

DATE(制表日期) _____

MADE BY PD(规格制作人) _____ CONFIRMED BY _____

CHECKED BY DESIGN(设计确认) _____ CONFIRMED BY _____

CHECKED BY QE(规格核对人) _____ CONFIRMED BY _____

ITEM Overall SIZE	W _____ " xD _____ " xH _____ " — _____ " INCH
(产品最大尺寸)	宽 _____ CM x深 _____ CM x高 _____ CM — _____ CM
BODY SIZE	W outside arm _____ " — inside arm _____ ", BODY DEPTH _____ " INCH
(椅身尺寸)	宽度 扶外宽 _____ CM — 扶内宽 _____ CM, 椅身深度 _____ CM
SEAT H	" — _____ " INCH, SEAT DEPTH _____ " INCH, ARM H _____ " INCH
(座高)	_____ CM — _____ CM, (座深) _____ CM, (扶手高) _____ CM — _____ cm
CARTON SIZE(纸箱尺寸)	W _____ mm xD _____ mm xH _____ mm, CUBE 0 CBM
CONTAINER LOAD(装柜数量)	_____ pcs/ 40HQ, _____ pcs/ 40GP, _____ pcs/ 20GP
BOX(纸箱种类)	_____, PLY(层数) _____ PLIES, _____
BURSTING STRENGTH(爆破强度)	_____ LBS, COLOR(颜色) _____
	N.W.(净重) _____ KGS, G.W.(毛重) _____ KGS,

PART A BACK & SEAT CUSHIONS

BACK CUSHION:	W _____ " xH _____ " xTH _____ " INCH (THICKEST: _____ " TH)
	(J-BAR TO TOP: _____ " H)
靠背尺寸:	宽 _____ CM x高 _____ CM x厚 _____ CM (最厚处: _____ CM, 至背钢板总高: _____ CM)

1. **INNER PLYWOOD SIZE:** W _____ " xH _____ " xTH _____ mm, _____ -PLIES CODE: _____

内板尺寸: 宽 _____ CM x高 _____ CM x厚 _____ CM, _____ -层, 板型编号: _____

Solidwood block(背木方杂木): W _____ CM xH _____ CM xT _____ CM, 3 PCS (each cut into 2 pcs)

Back side Plywood(背侧层板): W _____ CM xH _____ CM xT _____ CM, 2 PCS

2. **J-BAR:** L _____ mm

背钢板: 长 _____ CM

3. **COVER** ※ 以下贴合采用黑色胶水

FRONT(正面): 1) _____, COLOR(颜色): _____, CODE: _____

2) _____, COLOR(颜色): _____, CODE: _____

3) _____, COLOR(颜色): _____, CODE: _____

EMBOSSING: _____,

SIDE(侧面): 1) _____, COLOR(颜色): _____, CODE: _____

Quality Review Specifications

EMBOSSING: _____,

BACK(背面): 1) _____, COLOR(颜色): _____, CODE: _____
 2) _____, COLOR(颜色): _____, CODE: _____
 EMBOSSING: _____,

4. FOAM: MEETS CA. RETARDANT FOAM STANDARD.

泡棉: 符合加州防火泡棉标准.

序号	尺寸 (CM x CM x CM) DIMENSION	密度(KGS/ M ³)	硬度HARDN ESS	贴合位置 (LOCATION)	备注 REMARK
A	* * *				
B	* * *				
C	* * *				
D	* * *				

SEAT CUSHION: W _____ " xD _____ "xTH _____ " INCH (THICKEST: _____ "TH) 坐垫尺寸: 宽 _____ CM x深 _____ CM x厚 _____ CM (最厚处: _____ CM)

1. INNER PLYWOOD SIZE: W _____ " xD _____ "xTH _____ mm, _____ -PLIES CODE:HL8088
PLYWOOD SHAPE(板型): 反口板 _____ -层, 板型编号: _____
 木板尺寸: 宽 _____ CM x深 _____ CM x厚 _____ CM, _____ -层

2. PLASTIC WASHER: _____ PCS, FIXED AT SEAT BOTTOM.
 塑料垫片: _____ 片, 直接钉在座垫底部.

3. COVER ※ 以下贴合采用黑色胶水

TOP(上面): 1) _____, COLOR(颜色): _____, CODE: _____
 2) _____, COLOR(颜色): _____, CODE: _____
 EMBOSSING: _____,

SIDE(侧面): 1) _____, COLOR(颜色): _____, CODE: _____
 EMBOSSING: _____,

4. BOTTOM COVER: BLACK NON-WOVEN WITH STICKERS ATTACHED.

底布: 黑色无纺布, 贴公司规定之各式标签.

5. FOAM: MEETS CA. RETARDANT FOAM STANDARD.

泡棉: 符合加州防火泡棉标准.

序号	尺寸 (CM x CM x CM) DIMENSION	密度(KGS/ M ³)	硬度HARDN ESS	贴合位置 (LOCATION)	备注 REMARK
A	* * *				
B	* * *				
C	* * *				
D	* * *				

PART B ARM(扶手)

ARM(扶手)	NO.(我司型号)	_____	KIND(种类)	_____
	FCTY. NO.(工厂型号)	_____	FCTY.(工厂)	_____

- 1. ARM SUPPORT(扶手支架):** NO.(我司型号) _____
- MATERIAL(材料): _____ & _____
- FUNCTION(功能): _____ & _____
- COLOR(颜色): _____
- 2. ARM PAD(扶手垫):** NO.(我司型号) _____ KIND(种类) Upholstered
- MATERIAL(材料): _____ & _____
- DIMENSION(尺寸): W _____ " xD 28 " xTH _____ " INCH

※ 须贴向前箭头标

PART C MECHANISM(底盘/托盘)

MECHANISM	NO.(我司型号)	_____	KIND(种类)	_____
(底盘/托盘)	FCTY. NO.(工厂型号)	_____	FCTY.(工厂)	_____

- 1. SPECIFIC.(底盘规格):**
- 1) THICKNESS OF STEEL (铁片厚度) _____ MM
 - 2) 与背钢板连结处之铁片中心轴处需加焊铁片
 - 3) 控制杆必须贴功能标
 - 4) _____
- 2. HANDLE(手柄):** NO.(我司型号) _____ COLOR(颜色): _____

PART D GAS LIFT (气杆)

CENTER POST	NO.(我司型号)	_____		
(中支柱)	FCTY. NO.(工厂型号)	_____	FCTY.(工厂)	_____

- 1. GAS LIFT(气压棒):**
- 1) STROKE(行程) _____ MM
 - 2) BODY LENGTH (管长) _____ MM
 - 3) PRESSURE STRENGTH(压力强度) _____ NT
 - 4) CANISTER(外管): 1. LENGTH(长度) _____ MM
 2. DIAMETER (直径) _____ MM
 3. DOUBLE DROP-DOWN(三缩) _____
 - 5) COLOR(颜色): _____
- 2. TELESCOPING COVER (防尘套):** NO.(我司型号) _____ FCTY.(工厂) _____
- KIND(种类): _____ LENGTH(长度): _____ MM

PART E BASE(脚座) & CASTER(轮子)

BASE(脚座)	NO.(我司型号)	_____	KIND(种类)	_____
-----------------	-----------	-------	----------	-------

FCTY. NO.(工厂型号) _____

FCTY.(工厂) _____

1. BASE(脚座): MATERIAL(材料) _____

SIZE(尺寸) _____ MM, COLOR(颜色): _____

PASSED _____ BIFMA _____ LBS TEST(通过1.3BIFMA _____ KGS测试).

2. CASTER(轮子): NO.(我司型号) _____

FCTY&NO.(工厂及型号) _____

SIZE(尺寸) _____ MM, KIND(种类) _____

HUB STYLE/COLOR(轮片种类/颜色): _____, _____

PASSED _____ BIFMA TEST(通过BIFMA测试)

PART G PACKING(包装)**CARTON SIZE(纸箱尺寸)** W _____ mm xD _____ mm xH _____ mm, **CUBE** _____ CBM**CONTAINER LOAD(装柜数量)** _____ pcs/ 40HQ, _____ pcs/ 40GP, _____ pcs/ 20FT**BOX(纸箱种类)** _____, **PLY(层数)** _____ PLIES, _____**BURSTING STRENGTH(爆破强度)** _____ LBS, **COLOR(颜色)** _____**N.W.(净重)** _____ KGS, **G.W.(毛重)** _____ KGS,**1. HARDWARE (五金包):** BLISTER CARD PACKED (吸塑盒包装)

SCREWS(螺丝):

- | | | | | |
|----|-------|-------------|---------------------|-----|
| 1) | _____ | MMφ × _____ | " L, QTY(数量): _____ | PCS |
| 2) | _____ | MMφ × _____ | " L, QTY(数量): _____ | PCS |
| 3) | _____ | MMφ × _____ | " L, QTY(数量): _____ | PCS |
| 4) | _____ | MMφ × _____ | " L, QTY(数量): _____ | PCS |

WRENCHES(扳手): _____ MMφ × _____ " L QTY(数量): _____ PCS

2. PACKING (包装方式):

**SPECIAL REQUEST FROM CUSTOMER.
(OR COPY OF FAX FROM CUSTOMER
REGARDING PRODUCT QUALITY.)**