

Please quote Example

Bill of Material Example -Rev

Customer

Whalen Item NO. 沃伦型号:

Quoted By □□□□	Chair size 椅	W _____ ×D _____ ×H最高 _____ -最高 _____ cm
		W outside arm 扶手 _____ cm, inside arm 扶手 _____ cm
Quote Date 报价日期	Back size 背	W _____ ×H _____ ×T _____ cm, thickest最 _____ cm, H to J-bar 至背钢板总高 _____ cm
	Seat size 坐	W _____ ×D _____ ×T _____ cm, thickest最 _____ cm
	Seat area 座	seat High 座高 low: _____ -high _____ cm, Seat D 座深 _____ cm, Back H 座区 _____ cm
	Arm size 扶手 Arm pad W	_____ ×D _____ ×T _____ cm, Arm H 扶手最低 _____ -highest最高 _____ cm
	Weight 重量	N.W.净重 _____ kgs, G.W.毛重 _____ kgs
	Carton (纸箱尺寸)	L _____ *W _____ *H _____ cm

 产品图片
Product Picture

Process 工序	Material Name 物料名称	Description 规格	Qty 数量	Unit 单位	RM Total QTY 原材单耗	Raw Material Cost 原材单价	RM Unit 原材单	Total Cost 材料总价	Remark 备注
Sewing 缝纫组	Cow top leather(头层牛皮)			SF	0		SF	0.00	
	Fabric(布)	幅宽 1.37M width		SF	0		SF	0.00	
	Structure Mesh(特网)	幅宽 1.37M width		M	0		M	0.00	
	Sandwich Mesh(双网)	幅宽 1.37M width		M	0		M	0.00	
	Netting Mesh(单网)	幅宽 1.37M width		M	0		M	0.00	
	Bonded leather(再生皮)	幅宽 1.40M width		M	0		M	0.00	
	PU	幅宽 1.40M width		M	0		M	0.00	
	PVC	幅宽 1.40M width		M	0		M	0.00	
	nonwoven(无纺布)	幅宽 1.50M width, 80g, 黑色 Black		M	0		M	0.00	
	zipper(拉链)	号 size, 长 _____ cm length		PCS	0		M	0.00	穿钢筋条 for metal wire
	zipper head(拉链头)	号 size		PCS	0		PCS	0.00	
	Velcro(魔术贴)	cm 宽 width, 刺边 hook side _____ cm length		PCS	0		M	0.00	
	Velcro(魔术贴)	cm 宽 width, 毛边 loop side _____ cm length		PCS	0		M	0.00	
	5mm plastic tape(5mm 塑料胶条)			M	0		M	0.00	
	white stripe tape(白饼带)			M	0		M	0.00	
thread(车缝线)	字, 字 字 字 cotton thread		ROLL	0		ROLL	0.00		
thread(车缝线)	字, 字 字 字 silk thread		ROLL	0		ROLL	0.00		
Hardware 五金包	Paper card(吸塑卡)		1	PCS	1		PCS	0.00	
	Vacuum back(吸塑膜)		1	PCS	1		PCS	0.00	
	hex-head & Allen-head (内外六角)	M * mm		PCS	0		PCS	0.00	锁底盘 seat plate
	hex-head & Allen-head (内外六角)	M * mm		PCS	0		PCS	0.00	锁底盘 seat plate
	hex-head & Allen-head (内外六角)	M * mm		PCS	0		PCS	0.00	锁背钢板 J-bar
	hex-head & Allen-head (内外六角)	M * mm		PCS	0		PCS	0.00	锁背钢板 J-bar
	hex-head & Allen-head (内外六角)	M * mm		PCS	0		PCS	0.00	锁扶手 Arm
	hex-head & Allen-head (内外六角)	M * mm		PCS	0		PCS	0.00	锁扶手 Arm
	Screw cap cover(扶手胶塞)			PCS	0		PCS	0.00	
	Plastic Washer(塑料垫片)	Φ * *T mm		PCS	0		PCS	0.00	
Wrench(扳手)	Whalen design, M8		PCS	0		PCS	0.00		
Wrench(扳手)	Whalen design, M6		PCS	0		PCS	0.00		
wood parts 木工组	back plywood(背木板)	W _____ *H _____ *T 1.2 cm		SET	0		M ³	0.00	公式按 1.3 计算 formula
	seat plywood(座木板)	W _____ *D _____ *T 1.2 cm		SET	0		M ³	0.00	公式按 1.3 计算 formula
	arm plywood(扶手木板)	W _____ *L _____ *T 1 cm		PCS	0		M ³	0.00	公式按 1.1 计算 formula
	L-bracket(扶手角铁)	M * ° 字 字		PCS	0		PCS	0.00	
	L-bracket(扶手角铁)	M * ° 字 字		PCS	0		PCS	0.00	
	T-nut(四爪钉)	M 6 * 10 mm		PCS	0		PCS	0.00	
	T-nut(四爪钉)	M 6 * 7 mm		PCS	0		PCS	0.00	
	Bolt(大扁头十字螺丝)	M 6 * 16 mm		PCS	0		PCS	0.00	
	Bolt(大扁头十字螺丝)	M 6 * 20 mm		PCS	0		PCS	0.00	
	rivet(爆炸螺母/铆钉)	M 6 * 16 mm		PCS	0		PCS	0.00	
	rivet(爆炸螺母/铆钉)	M 8 * 16 mm		PCS	0		PCS	0.00	
Plastic Washer(塑料垫片)	Φ * *T mm		PCS	0		PCS	0.00		
	Plastic Washer(塑料垫片)	Φ * *T mm		PCS	0		PCS	0.00	
	T-nut(四爪钉)	M 6 * 7 mm		PCS	0		PCS	0.00	扶手盖 arm pad
	Bolt(大扁头十字螺丝)	M 8 * 35 mm		PCS	0		PCS	0.00	
	Bolt(大扁头十字螺丝)	M 6 * 80 mm		PCS	0		PCS	0.00	
	Bolt(大扁头十字螺丝)	M 6 * 50 mm		PCS	0		PCS	0.00	
	Bolt(大扁头十字螺丝)	M 6 * 25 mm		PCS	0		PCS	0.00	
	Bolt(大扁头十字螺丝)	M 6 * 20 mm		PCS	0		PCS	0.00	
Seat Frame(座框)			SET	0		SET	0.00		

finished parts
成品部

Back Frame(背框)					SET	0		SET	0.00	
J bar(背钢板)	L	*W	*T	cm	PCS	0		PCS	0.00	
Lumbar(腰靠)					SET	0		SET	0.00	
Arm(扶手)					PAIR	0		PAIR	0.00	
Seat plate(底盘)					1	PCS	1	PCS	0.00	
Gas lift(气压棒)	mm,			mm	1	PCS	1	PCS	0.00	
Telescope(防尘套)	三			mm		PCS	0	PCS	0.00	
base(五爪)	R			mm	1	PCS	1	PCS	0.00	
Caster(轮子)	Φ			mm	5	PCS	5	PCS	0.00	
plastic bag(背胶袋)	L	*W		cm	1	PCS	0		0.00	for back cushion
plastic bag(座胶袋)	L	*W		cm	1	PCS	0		0.00	for seat cushion
plastic bag(扶手胶袋)	L 35	*W 50		cm		PCS	0		0.00	for arms
plastic bag(五金包胶袋)	L 9	*W 13		cm		PCS	0		0.00	for hardwares
plastic bag(胶塞胶袋)	L 9	*W 7		cm		PCS	0		0.00	for screw cap cover
plastic bag(三节套袋)	L 14	*W 25		cm		PCS	0		0.00	for telescope
Bubble bag(气泡袋)					5	PCS	5	PCS	0.00	
plastic sheet(胶纸)	EPE珍珠棉纸, 宽10cm				8	M	8	M	0.00	
Carton(纸箱)	L 0	*W 0	*H 0	cm	1	PCS	0.0032		0.00	纸箱的平方单价unit price for per m ² of carton
corrugated plate(衬片)	L	*W		cm	3 ply/层	1	PCS	0	0.00	
corrugated plate(衬片)	L	*W		cm	3 ply/层	1	PCS	0	0.00	
corrugated plate(衬片)	L 20	*W 20		cm	3 ply/层		PCS	0	0.00	蒙钢板上 cover J-bar
plate for J-bar 钢板纸片	L 20	*W 25		cm	3 ply/层		PCS	0	0.00	
corrugated plate for seat plate (托盘纸片)					1	PCS	1	PCS	0.00	
Carton for gas lift汽杆盒	L 8	*W 8	*H 30	cm	1	PCS	1	PCS	0.00	
linen thread(麻线)				cm length		PCS	0	M	0.00	
Metal wire(钢筋条)	Φ3mm					M	0	M	0.00	
staple(枪钉)	10*6mm					BAR	0	BAR	0.00	
staple(枪钉)	10*8mm					BAR	0	BAR	0.00	
staple(枪钉)	10*10mm					BAR	0	BAR	0.00	
Glue(胶水)					0.03	KG	0.03	KG	0.00	
Adhesive tape(封箱带)					5	M	5	M	0.00	
hot melt adhesive(热熔胶)					1	PCS	1	PCS	0.00	
assembly instruction (说明书)					1	PCS	1	PCS	0.00	
sticker for direction marker方向标					1	PCS	1	PCS	0.00	
warning stick(警告标)					1	PCS	1	PCS	0.00	
material consisting stick (成份标)					1	PCS	1	PCS	0.00	
notice stick(防火标)					1	PCS	1	PCS	0.00	
P.O. stick(P.O.标)					1	PCS	1	PCS	0.00	
Back Bar Assembly Instriction(钢板组立标)					1	PCS	1	PCS	0.00	
Toll Free Card(电话卡)					1	PCS	1	PCS	0.00	
Carton # Stick(数码标)					1	SET	1	SET	0.00	
Leather Logo(皮吊卡)						PCS	0	PCS	0.00	
foam for back 背海绵	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
foam for seat	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness
	L	*W	*H	cm Density		PCS	0	M ³	0.00	硬度Hardness

										Material Breakdown Analysis			
Foam 泡绵	座海绵	L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
		L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
		L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
		L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
		L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
		L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
		L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
	foam for arm扶手海绵	L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
	foam for arm扶手海绵	L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
	foam for sewing车缝海绵	L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
	foam for sewing车缝海绵	L	*W	*H	cm Density	PCS	0	M ³	0.00	硬度Hardness			
	Poly fibre for back 背树脂棉	L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
	Poly fibre for seat 座树脂棉	L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
		L	*W	*H	cm Density	PCS	0	M ³	0.00				
	Poly batting for back 背弹力棉	L	*W	Density	g	PCS	0	KG	0.00				
		L	*W	Density	g	PCS	0	KG	0.00				
		L	*W	Density	g	PCS	0	KG	0.00				
		L	*W	Density	g	PCS	0	KG	0.00				
Poly batting for seat 座弹力棉	L	*W	Density	g	PCS	0	KG	0.00					
	L	*W	Density	g	PCS	0	KG	0.00					
	L	*W	Density	g	PCS	0	KG	0.00					
	L	*W	Density	g	PCS	0	KG	0.00					
for sewing车缝弹力棉	L	*W	Density	g	PCS	0	KG	0.00					
for sewing车缝弹力棉	L	*W	Density	g	PCS	0	KG	0.00					
Total Material Cost 材料总计: ¥									0.00				

Progress项目 Amount金额	Progress项目 Amount金额	Total cost 成本共计 #DIV/0!	Shipping拖箱费: ¥ #DIV/0!
Cutting 裁剪	Shipping 运检费 #DIV/0!	Input VAT 进项金额 ¥ -	Salary工资: 0.00
Stapler 枪钉	Loading 装卸 #DIV/0!	Outgoing of input VAT 进项转出金额 #DIV/0!	Management fee管理费: ¥ #DIV/0!
Assemble 组装	Cleaning 清洁 0.30	Drawback for duties paid 实际退税 #DIV/0!	RMB price人民币总计: #DIV/0!
Woodworking 木工	Electricity 电耗 0.50	RMB price 人民币报价 #DIV/0!	FOB price FOB报价: \$ #DIV/0!
Cutting foam 裁棉	Other fee total #DIV/0!	FOB price FOB美金报价 #DIV/0!	Currency exchange rate汇率: 6.50
Gluing foam 贴棉	税率/利率	Profit 单位利润 #DIV/0!	
Package 包装	Input VAT 进项税率 17%	核算方法1-工厂	核算方法2-沃伦
Sewing 车缝	of input Vat 进项转出税率 2%	Accounting method 1- by Factory	Accounting method 2- by Whalen
Cleaning 擦灰	ncy exchange rate 外币汇率 Rate here		
Salary total 工资小计 ¥0.00	fit rate 利润率 10%		

40'HQ: pcs	40'GP: pcs	20'GP: pcs
container loading pic	container loading pic	container loading pic